



SAFETY DATA SHEET

Sonagel D1

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 830/2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Sonagel D1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Ultrasonic couplant.

Uses advised against No specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet Supplier

Sonatest Limited
Dickens Road
Old Wolverton
Milton Keynes
MK12 5QQ
England
Tel: +44(0) 1908 316345
sales@sonatest.com

1.4. Emergency telephone number

Emergency telephone +44(0) 7971 099778

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Acute Tox. 4 – H332 Eye Irrit. 2 – H319 Repr. 1B – H360FD

Environmental hazards Not Classified

Classification (67/548/EEC or 1999/45/EC)

Xn; R20; Xi; R36. Repr. Cat. 1 R60, R61

2.2. Label elements

Pictogram



Signal word Danger

Sonagel D1

| | |
|---|--|
| Hazard statements | H319 Causes serious eye irritation H332 Harmful if inhaled H360FD May damage fertility. May damage unborn child. |
| Precautionary Statements | P261 Avoid breathing dust. P280 Wear protective gloves, eye and face protection. 303+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a POISON CENTER/Doctor if you feel unwell. P501 Dispose of contents/container in accordance with National regulations. |
| Contains | Disodium tetraborate pentahydrate, Sodium N-Lauroylsarcosinate |
| Supplementary precautionary statements | P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P264 Wash contaminated skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P337+P313 If eye irritation persists: Get medical advice/attention. P308+P313 IF exposed or concerned: Get medical advice/attention. P405 Store locked up. |

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| | |
|--|--|
| Disodium tetraborate pentahydrate | 10 - <25% |
| CAS number: 12179-04-3 EC number: 215-540-4 | |
| Classification | Classification (67/548/EEC or 1999/45/EC) |
| Eye Irrit. 2 – H319 Repr. 1B – H360FD | Xi; R36. Repr. Cat. 1 R60, R61 |

| | |
|--|--|
| Sodium N-Lauroylsarcosinate | 1 - <2.5% |
| CAS number 137-16-6 IEC Number: 205-281-5 | |
| Classification | Classification (67/548/EEC or 1999/45/EC) |
| Acute Tox. 2 – H330 Skin Irrit. 2 – H315 Eye Dam. 1 – H318 | T+; R26. Xi; R41, R38 |

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Sonagel D1

| | |
|-----------------------------------|---|
| General information | Get medical attention immediately. Show this Safety Data sheet to the medical personnel. |
| Inhalation | Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on their side in the recovery position and ensure breathing can take place. |
| Ingestion | Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Place unconscious person on their side in the recovery position and ensure breathing can take place. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. |
| Skin contact | Brush off loose particles from skin. Rinse with water. |
| Eye contact | Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes. |
| Protection of first aiders | First aid personnel should wear appropriate protective equipment during any rescue. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth to mouth resuscitation. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|----------------------------|--|
| General information | See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure. |
| Inhalation | A single exposure may cause the following adverse effects: Headache. Exhaustion and weakness. |
| Ingestion | May cause discomfort if swallowed. May cause stomach pain or vomiting. |
| Skin contact | Prolonged contact may cause dryness of the skin. |
| Eye contact | Irritating to eyes. |

4.3. Indication of any immediate medical attention and special treatment needed

| | |
|-----------------------------|------------------------|
| Notes for the doctor | Treat symptomatically. |
|-----------------------------|------------------------|

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|---------------------------------------|--|
| Suitable extinguishing media | The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |

5.2. Special hazards arising from the substance or mixture

| | |
|-------------------------|------------------------|
| Specific hazards | This product is toxic. |
|-------------------------|------------------------|

Sonagel D1

Hazardous combustion products

Thermal decomposition or combustion products may include the following substances:
Toxic gases or vapours.

5.3. Advice for firefighters**Protective actions during firefighting**

Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Control run-off water by containing and keeping out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents

| |
|--|
| SECTION 6: Accidental release measures |
|--|

6.1. Personal precautions, protective equipment and emergency procedures**Personal precautions**

No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure procedures and training for emergency decontamination and disposal are in place. Do not touch or walk into spilled material. Avoid inhalation of dust. Use suitable respiratory protection if ventilation is inadequate.

6.2. Environmental precautions**Environmental precautions**

Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment. Large spillages: inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).

6.3. Methods and material for containment and cleaning up**Methods for cleaning up**

Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Provide adequate ventilation. Approach the spillage from upwind. Avoid generation and spreading of dust. Small spillages: remove spillage with vacuum cleaner or collect with a shovel or broom, or similar. Large spillages: Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Containers with collected spillage must be properly labelled with correct content and hazard symbol. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a

Sonagel D1

spillage. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Keep containers tightly sealed when not in use. Avoid handling which leads to dust formation. May damage fertility. May damage the unborn child. Pregnant or breastfeeding women should not work with this product if there is any risk of exposure. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.

Advice on general occupational hygiene Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in accordance with local regulations. Keep only in original container. Keep container tightly closed, in a well ventilated place. Keep containers upright. Protect containers from damage.

Storage Class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Ingredient Comments No exposure limits known for ingredient(s).

8.2. Exposure controls

Protective equipment



Appropriate engineering Provide adequate ventilation. Personal, workplace environment or biological monitoring may be required to

Sonagel D1

| | |
|-------------------------------|--|
| controls | determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimize worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimize exposure. |
| Eye/face protection | Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. Wear tight fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead. |
| Hand protection | Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended. |
| Other skin and body | Appropriate footwear and additional protective clothing complying with an approved standard protection should be worn if a risk assessment indicates skin contamination is possible. |
| Hygiene measures | Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. |
| Respiratory protection | Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Protection against nuisance dust must be used when the airborne concentration exceeds 10mg/m ³ . Wear a suitable dust mask. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE' – marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filters cartridges should comply with European Standard EN14387. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable cartridges should comply with European Standard EN140. |
| Environmental exposure | |
| Controls | Keep containers tightly closed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. |

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Sonagel D1

| | |
|-------------------|---------|
| Appearance | Powder. |
| Colour | Yellow. |

Sonagel D1

| | |
|---|---|
| Odour | Odourless. |
| Odour threshold | Not available. |
| pH | Not available |
| Melting point | Not available. |
| Initial boiling point and range | Not available. |
| Flash point | Not available. |
| Evaporation rate | Not available. |
| Upper/lower flammability or explosive limits | Not available. |
| Vapour pressure | Not available. |
| Vapour density | Not available. |
| Relative density | Not available. |
| Solubility(ies) | Soluble in water. |
| Partition coefficient | Not available. |
| Auto-ignition temperature | Not available. |
| Decomposition Temperature | Not available. |
| Viscosity | Not applicable. |
| Explosive properties | Not considered to be explosive. |
| Oxidising properties | Does not meet the criteria for classification as oxidising. |

9.2.Other information

Other information No information required.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity See the other subsections of this section for further details.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions No potentially hazardous reactions known.

Sonagel D1

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid Strong acids. Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition products Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity – oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Acute Tox. 4 – H332 Harmful if inhaled.

ATE inhalation 4.17
(dusts/mists mg/l)

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Serious Eye damage/Irritation

Serious eye damage/ Causes serious eye irritation.

Irritation

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitization

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

IARC carcinogenicity None of the ingredients are listed or exempt.

Reproductive toxicity

Sonagel D1

Reproductive toxicity - fertility May damage fertility.
Reproductive toxicity - development May damage the unborn child.

Specific target organ toxicity – single exposure

STOT – single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity – repeated exposure

STOT – Repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard Not relevant. Solid.

General information Avoid contact during pregnancy/while nursing. May damage fertility. Dust may irritate the eyes and the respiratory system. The severity of the symptoms described will vary dependent on the concentration and length of exposure.

Inhalation A single exposure may cause the following adverse effects: Headache. Exhaustion and weakness.

Ingestion May cause discomfort if swallowed. May cause stomach pain or vomiting.

Skin contact Prolonged contact may cause dryness of the skin.

Eye contact Irritating to eyes.

Route of entry Ingestion Inhalation Skin and/or eye contact

Target organs No specific target organs known.

Disodium tetraborate pentahydrate

Acute toxicity – oral

Notes (oral LD₅₀) 3450mg/kg. Rat REACH dossier information. Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD₅₀) 2001mg/kg, Dermal, Rabbit REACH dossier information. Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Dose: 0.5g, 24hours, Rabbit Primary dermal irritation index: 0.1 REACH dossier information. Based on available data the classification criteria are not met.

Serious Eye damage/irritation

Serious eye damage/ Irritation Causes serious eye irritation.

Sonagel D1

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitization Buehler test – Guinea pig: Not sensitizing. REACH dossier information. Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro DNA damage and/or repair: Negative. REACH Dossier information. Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vivo Chromosome aberation: Negative. REACH Dossier information. Based on available data the classification criteria are not met.

Carcinogenicity

NOAEL >5000ppm, Oral, Mouse REACH dossier information. Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Three generation study – NOAEL 100mg/kg/day, Oral Rat F1 REACH dossier information. May damage fertility.

Reproductive toxicity

- development Developmental toxicity/: -NOAEL: 55mg/kg/day, Oral, Rat REACH dossier information. May damage the unborn child

Specific target organ toxicity – single exposure

STOT – single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity – repeated exposure

STOT – Repeated exposure NOAEL 100mg/kg/day, Oral, Rat REACH dossier information. Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

Sodium N-lauroylsarcosinate

Acute toxicity – oral

Notes (oral LD₅₀) >5000mg/kg. Oral, Rat REACH dossier information. Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) REACH dossier information. Fatal if inhaled.

ATE inhalation

(dusts/mists mg/l) 0.05

Skin corrosion/irritation

Sonagel D1

Animal data Irritating.

Serious eye damage/irritation

**Serious eye damage/
Irritation** Causes serious eye irritation.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitization Guinea pig maximization test (GPMT) – Guinea pig: Not sensitizing. REACH dossier information. Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Gene mutation: Negative. REACH Dossier information. Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity

- development

Developmental toxicity: -NOAEL: >250mg/kg/day, Oral, Rat REACH dossier information. Not classified as a specific target organ toxicant after repeated exposure.

Specific target organ toxicity – single exposure

STOT – single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity – repeated exposure

STOT – Repeated exposure NOAEL 30mg/kg/day, Oral, Rat REACH dossier information. Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Not relevant.

SECTION 12: Ecological Information

Ecotoxicity Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.

12.1. Toxicity

Toxicity Based on available data the classification criteria are not met.

Ecological information on ingredients

Disodium tetraborate pentahydrate

Acute toxicity – fish LC₅₀, 96 Hours: 74mg/l. Limanda limanda (common dab)

Acute toxicity – aquatic
Invertebrates LC₅₀, 96 Hours: 147 mg/l, Legumia recta (Black sandshell mussel)

Sonagel D1

Acute toxicity – aquatic Plants EC₅₀, 72 Hours: 40.2 mg/l, Selenastrum apicornutum

Sodium N-lauroylsarcosinate

Toxicity Aquatic toxicity is unlikely to occur. Based on available data the classification criteria are not met.

Acute toxicity – fish LC₅₀, 96 Hours: 107mg/l. Brachydanio rerio (Zebra fish)

Acute toxicity – aquatic Invertebrates EC₅₀, 48 Hours: 29.7 mg/l, Daphnia magna

Acute toxicity – aquatic Plants EC₅₀, 72 Hours: 39 mg/l, Desmosdesmus subspicatus

12.2. Persistence and degradability

Disodium tetraborate pentahydrate

Ecological information on ingredients

Persistence and degradability The degradability of the product is not known.

Sodium N-lauroylsarcosinate

Persistence and degradability This product is readily biodegradable.

Biodegradation Water – Degradation 82%: 28 days

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not available.

Ecological information on ingredients

Disodium tetraborate pentahydrate

Bioaccumulative potential BCF: 0.7 – 1.4, Crassostrea gigas (Pacific oyster)

Partition coefficient log Pow: -1.53.

Sodium N-lauroylsarcosinate

Sonagel D1

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient log Pow: 0.37.

12.4. Mobility in soil

Mobility The product is water-soluble and may spread in water systems.

Ecological information on ingredients

Disodium tetraborate pentahydrate

Mobility The product is soluble in water

Surface tension 71 mN/m @23°C.

Sodium N-lauroylsarcosinate

Mobility This product is partly soluble in water and may spread in the aquatic environment.

Surface tension 40.5 mN/m @23°C.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Disodium tetraborate pentahydrate

Results of PBT and vPvB assessment This product is not classified as PBT or vPvB according to current EU criteria.

Sodium N-lauroylsarcosinate

Results of PBT and vPvB assessment This product is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

Other adverse effects None known.

Ecological information on ingredients

Disodium tetraborate pentahydrate

Other adverse effects None known

Sodium N-lauroylsarcosinate

Other adverse effects None known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Sonagel D1

| | |
|----------------------------|--|
| General information | The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to the handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous. |
| Disposal methods | Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste residues, empty containers discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Incineration or landfill should only be considered when recycling is not feasible. |

SECTION 14: Transport information

| | |
|---------|--|
| General | The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID). |
|---------|--|

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3 Transport hazard class(es)

No transport warning sign required.

14.4 Packing group

Not applicable

14.5 Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

| | |
|-----------------------------|--|
| National Regulations | Health and Safety at Work etc. Act 1974 (as amended) The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716). |
|-----------------------------|--|

Sonagel D1

The Carriage of Dangerous Goods and use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348(as amended) [“CDG 2009”]

EH40/2005 Workplace exposure limits.

EU Legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 Concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended)

Commission Regulation (EU) No 453/2010 of 20 May 2010

Commission Regulation (EU) No 2015/830 of 28 May 2015

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on Classification, labelling and Packaging of substances and mixtures (as amended).

Dangerous Preparations Directive 1999/45/EC.

Dangerous Substances Directive 67/548/EEC.

15.2 Chemical safety assessment

No chemical Safety assessment has been carried out.

Inventories

EU-EINECS/ELINCS

None of the ingredients are listed or exempt.

SECTION 16: Other Information

Classification procedures according to Regulation (EC) 1272/2008 Acute Tox. 4 – H332: Eye Irrit. 2 = H319: Repr. 1B – H360FD: : Calculation method

Training Advice Read and follow manufacturers recommendations. Only trained personnel should use this material.

Revision Date 19/06/2023

Revision Date 6

Supersedes date 30/06/2015

SDS Number 3403

Risk phrases in full R20 Harmful by inhalation.
R26 Very toxic by inhalation.
R36 Irritating to eyes.
R38 irritating to skin.
R41 Risk of serious damage to eyes.
R60 May impair fertility.
R61 May cause harm to the unborn child.

Hazard statements in full H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H330 Fatal if inhaled.
H332 Harmful if inhaled.
H360FD May damage fertility. May damage the unborn child.

Sonagel D1

This information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness, It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.